ELSEVIER

Physica C 234 (1994) 393–396

PHYSICA C

Author index to volume 234

Acha, C., see V. Bekeris **234**, 49
Adrian, H., see L. Miu **234**, 249
Affronte, M., C. Nobili, G. Ottaviani and F. Licci, High-temperature relaxation processes in Zn and Fe doped tetragonal YBCO **234**, 91
Agrawal, B.K., S. Agrawal and M.D. Tiwari, Van Hove singularity scenario and hole concentration in high-T_c $HgBa_2CaCu_2O_{6+\delta}$ superconductor. Pressure effects **234**, 29
Agrawal, S., see B.K. Agrawal **234**, 29
Alario-Franco, M.A., see C. Rial **234**, 237
Altshuler, E., see L.E. Flores **234**, 368
Amador, U., see C. Rial **234**, 237
Andersen, N.H., see C. Rial **234**, 237
Apte, P.R., see M. Murugesan **234**, 339
Ayache, C., see A. Carrington **234**, 1

Bae, M.-K., M.S. Choi, M.-O. Mun, S. Lee, S.-I. Lee and W.C. Lee, Surface barrier effect of isothermal magnetization of grain-aligned $HgBa_2Ca_2Cu_3O_8$ **234**, 207
Balachandran, U., see P. Krishnaraj **234**, 318
Balestrino, G., D.V. Livanov and M. Montuori, Scaling behavior of resistivity tails at the edge of superconducting transition in $Bi_2Sr_2CaCu_2O_{8+\delta}$ epitaxial films **234**, 77
Bekeris, V., H. Ferrari, C. Acha, P. Levy, G. Polla and G. Leyva, Hysteretical temperature dependence of AC susceptibility in granular high-T_c superconductors **234**, 49
Bertinotti, A., see A. Carrington **234**, 1
Bhagat, S.M., see J.S. Ramachandran **234**, 173
Bhat, S.V., see A. Rastogi **234**, 229
Bokhimi and A. Morales, Field-cooling remanent magnetization of polycrystalline samples of the YBCO system in low magnetic fields **234**, 333
Bouffard, S., see R. Prozorov **234**, 311
Bratsberg, H., see A.B. Riise **234**, 108
Burkhart, G.J., see H.A. Ludwig **234**, 45

Cai, Z.-X. and D.O. Welch, Structure of twin boundaries in $La_{2-x}Ba_xCuO_4$ **234**, 373
Calemczuk, R., see E. Janod **234**, 269
Cao, G.H., see Y.S. Yao **234**, 39
Carrington, A., D. Colson, Y. Dumont, C. Ayache, A. Bertinotti and J.F. Marucco, Transport properties of single-crystal $HgBa_2Ca_2Cu_3O_{8+\delta}$ **234**, 1
Caspary, R., see B.F. Woodfield **234**, 380
Cattani, D., see A. Gupta **234**, 219
Chan, H.M., see Y.L. Chen **234**, 232
Cheggour, N., see B. Seeber **234**, 343
Chen, Y.L., H.M. Chan, M.P. Harmer, V.R. Todt, S. Sengupta and D. Shi, A new method for net-shape forming of large, single-domain $YBa_2Cu_3O_{6+x}$ **234**, 232
Choi, M.S., see M.-K. Bae **234**, 207
Colson, D., see A. Carrington **234**, 1
Conder, K., see J. Karpinski **234**, 10

Damodaran, A.D., see J. Koshy **234**, 211
Decroux, M., see A. Gupta **234**, 219
Demidov, V.V., Spin-lattice relaxation caused by vortex oscillations in high-temperature superconductors **234**, 285
Dumont, Y., see A. Carrington **234**, 1

Emura, S., see H. Maeda **234**, 385
Eror, N.G., see P. Krishnaraj **234**, 318

Fan, N.Q., Macroscopic quantum spectroscopy of Josephson junctions **234**, 146
Ferrari, H., see V. Bekeris **234**, 49
Fietz, W.H., see H.A. Ludwig **234**, 45
Finger, L.W., see A.J. Schultz **234**, 300
Fischer, Ø., see A. Gupta **234**, 219
Fisher, R.A., see B.F. Woodfield **234**, 380
Flores, L.E., E. Altshuler, S. García and J. Musa, Magnetic hysteresis of the zero-resistance critical temperature in $YBa_2Cu_3O_{7-x}$ ceramic superconductors **234**, 368
Fujimoto, T., see H. Maeda **234**, 385

García, S., see L.E. Flores **234**, 368
Giraldo, J., see U. Yxklinten **234**, 291
Grill, R., see B. Seeber **234**, 343
Grube, K., see H.A. Ludwig **234**, 45
Gupta, A., M. Decroux, P. Selvam, D. Cattani, T.C. Willis and Ø. Fischer, Critical currents and pinning in powder metallurgically processed Chevrel phase bulk superconducting samples **234**, 219
Gupta, L.C., see M. Murugesan **234**, 339

Hadish, A., see L. Miu **234**, 249
Hakioğlu, T., V.A. Ivanov, A.S. Shumovsky and B. Tanatar, Phonon squeezing in superconducting borocarbides **234**, 167
Harmer, M.P., see Y.L. Chen **234**, 232
Hazen, R.M., see A.J. Schultz **234**, 300

Hegde, M.S., see A. Rastogi **234**, 229
Hellmann, P., see B.F. Woodfield **234**, 380
Hellstrom, E.E., see W. Zhang **234**, 137
Henry, J.-Y., see E. Janod **234**, 269
Hillmer, F., see L. Miu **234**, 249
Holmlund, K., see U. Yxklinten **234**, 291
Hong, J.P., see C.H. Park **234**, 85
Hornung, F.W., see H.A. Ludwig **234**, 45
Huang, M.X., see J.S. Ramachandran **234**, 173
Hur, N.H., N.H. Kim, K.W. Lee, K.H. Yoo, Y.K. Park and J.C. Park, New members in the family of Hg and Tl based superconductors $Hg_{1-x}Tl_xBa_2(Ca_{0.86}Sr_{0.14})_2Cu_3O_{8+\delta}$ **234**, 19

Ignatov, A.Yu., A.P. Menushenkov, A.A. Ivanov and D.I. Kochubey, The local structure transformation in $Nd_{1.85}Ce_{0.15}CuO_4$ films irradiated by He^+ ions: polarized EXAFS study **234**, 68
Ikuhara, Y., see W.L. Zhou **234**, 323
Ishida, H., see H. Maeda **234**, 385
Ishii, T., see H. Maeda **234**, 385
Isobe, M., T. Kawashima, K. Kosuda, Y. Matsui and E. Takayama-Muromachi, A new series of high-T_c superconductors $AlSr_2Ca_{n-1}Cu_nO_{2n+3}$ ($n=4$, $T_c=110$ K; $n=5$, $T_c=83$ K) prepared at high pressure **234**, 120
Ivanov, A.A., see A.Yu. Ignatov **234**, 68
Ivanov, V.A., see T. Hakioğlu **234**, 167

Janod, E., A. Junod, K.-Q. Wang, G. Triscone, R. Calemczuk and J.-Y. Henry, Specific heat up to 14 tesla of a $YBa_2Cu_3O_{6.92}$ single crystal **234**, 269
Jia, S.L., see Y.S. Yao **234**, 39
Jia, Y.X., C.S. Lee and A. Zettl, Stabilization of the $Tl_2Ba_2Ca_2Cu_3O_{10}$ superconductor by Hg doping **234**, 24
Johansen, T.H., see A.B. Riise **234**, 108
Junod, A., see E. Janod **234**, 269

Kallias, G., see M. Pissas **234**, 127
Karpinski, J., H. Schwer, I. Mangelschots, K. Conder, A. Morawski, T. Lada and A. Paszewin, Single crystals of $Hg_{1-x}Pb_x$ $Ba_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ and infinite-layer $CaCuO_2$. Synthesis at gas pressure 10 kbar, properties and structure **234**, 10
Kashino, S., see H. Maeda **234**, 385
Kawashima, T., see M. Isobe **234**, 120
Khan, M.K.R., Y. Mori, I. Tanaka and H. Kojima, Anisotropic electrical resistivity and oxygen annealing effect on it in $La_{2-x}Ca_xCuO_4$ single crystals **234**, 115
Kikuchi, M., see H. Nameki **234**, 255
Kim, N.H., see N.H. Hur **234**, 19
Kochubey, D.I., see A.Yu. Ignatov **234**, 68
Kojima, H., see M.K.R. Khan **234**, 115
Konczykowski, M., see R. Prozorov **234**, 311
Koren, G., see R. Prozorov **234**, 311
Koshizuka, N., see N. Watanabe **234**, 361
Koshy, J., K.S. Kumar, J. Kurian, Y.P. Yadava and A.D. Damodaran, $DyBa_2SnO_{5.5}$. A new ceramic substrate for superconducting YBCO ($T_{c(o)}=92$ K) and Bi(2223) ($T_{c(o)}=110$ K) thick films **234**, 211
Kosuda, K., see M. Isobe **234**, 120
Krämer, C., Phase singularities and Josephson coupling in layered superconductors **234**, 155
Krishnaraj, P., M. Lelovic, N.G. Eror and U. Balachandran, Synthesis and oxygen stoichiometry of $Bi_2Sr_2CaCu_2O_{8+x}$ **234**, 318
Kubota, N., Y. Shiohara and S. Tanaka, Modulated structure of Bi–Sr–Ca–Cu–O thin films on $Y_3Al_5O_{12}$ (YAG) substrate **234**, 63
Kubozono, Y., see H. Maeda **234**, 385
Kumar, K.S., see J. Koshy **234**, 211
Kurian, J., see J. Koshy **234**, 211

Lada, T., see J. Karpinski **234**, 10
Laughlin, R.B., Tunneling gap as evidence for time-reversal symmetry breaking at surfaces of high-temperature superconductors **234**, 280
Lee, C.S., see Y.X. Jia **234**, 24
Lee, E.-H., see C.H. Park **234**, 85
Lee, J.-W., see C.H. Park **234**, 85
Lee, K.W., see N.H. Hur **234**, 19
Lee, S., see M.-K. Bae **234**, 207
Lee, S.-I., see M.-K. Bae **234**, 207
Lee, W.C., see M.-K. Bae **234**, 207
Lelovic, M., see P. Krishnaraj **234**, 318
Levy, P., see V. Bekeris **234**, 49
Leyva, G., see V. Bekeris **234**, 49
Li, J.W., see Y.S. Yao **234**, 39
Licci, F., see M. Affronte **234**, 91
Liedl, G.L., see H. Zhang **234**, 185
Livanov, D.V., see G. Balestrino **234**, 77
Ludwig, H.A., W.H. Fietz, F.W. Hornung, K. Grube, B. Renker and G.J. Burkhart, The compressibility of Rb_3C_{60} derived by X-ray experiments under high pressure **234**, 45

Ma, W.J., see Y.S. Yao **234**, 39
Maeda, H., Y. Kubozono, T. Ishii, T. Fujimoto, H. Ishida, S. Emura, S. Kashino, K. Oshima and H. Yamazaki, Temperature dependence of local structure of Rb_2CsC_{60} superconductor **234**, 385
Mangelschots, I., see J. Karpinski **234**, 10
Mao, Zh.Q., see W.J. Yu **234**, 151
Marucco, J.F., see A. Carrington **234**, 1
Matsui, Y., see M. Isobe **234**, 120
Menushenkov, A.P., see A.Yu. Ignatov **234**, 68
Minamigawa, S., see H. Sasakura **234**, 307
Miu, L., P. Wagner, A. Hadish, F. Hillmer and H. Adrian, Thermally activated dissipation in epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ films. Evidence for the occurrence of vortex strings with three-dimensional fluctuations in low magnetic fields **234**, 249
Montuori, M., see G. Balestrino **234**, 77
Moon, C.W., see C.H. Park **234**, 85
Moraitakis, E., see M. Pissas **234**, 127
Morales, A., see . Bokhimi **234**, 333

Morán, E., see C. Rial **234**, 237
Morawski, A., see J. Karpinski **234**, 10
Mori, Y., see M.K.R. Khan **234**, 115
Motoi, Y., see S. Tanaka **234**, 355
Mun, M.-O., see M.-K. Bae **234**, 207
Murugesan, M., R. Pinto, S.P. Pai, P.R. Apte, M. Sharon and L.C. Gupta, Transport properties of Sb_2O_3 doped laser ablated $YBa_2Cu_3O_{7-\delta}$ **234**, 339
Musa, J., see L.E. Flores **234**, 368

Nameki, H., M. Kikuchi and Y. Syono, Effects of lanthanoid substitution on superconductivity and modulated structure of $Bi_2Sr_2CuO_y$ **234**, 255
Niarchos, D., see M. Pissas **234**, 127
Nobili, C., see M. Affronte **234**, 91

Ong, C.K., see X. Zhang **234**, 99
Oshima, K., see H. Maeda **234**, 385
Ottaviani, G., see M. Affronte **234**, 91

Pai, S.P., see M. Murugesan **234**, 339
Park, C.H., J.P. Hong, I.H. Song, E.-H. Lee, C.W. Moon, S.A. Song and J.-W. Lee, Characteristics of YBCO step-edge junctions fabricated by a chemical etching process **234**, 85
Park, J.C., see N.H. Hur **234**, 19
Park, Y.K., see N.H. Hur **234**, 19
Paszewin, A., see J. Karpinski **234**, 10
Perenboom, J.A.A.J., see B. Seeber **234**, 343
Phillips, N.E., see B.F. Woodfield **234**, 380
Pinto, R., see M. Murugesan **234**, 339
Pissas, M., G. Kallias, E. Moraitakis, D. Niarchos and A. Simopoulos, Site occupancy of Fe in the oxygen-saturated $YSr_2Cu_{3-x}Fe_xO_y$ compound for $x=0.25$ up to 1 **234**, 127
Polla, G., see V. Bekeris **234**, 49
Prozorov, R., A. Tsameret, Y. Yeshurun, G. Koren, M. Konczykowski and S. Bouffard, Angular dependence of the magnetic properties of thin $YBa_2Cu_3O_{7-\delta}$ films irradiated with Pb and Xe ions **234**, 311

Ramachandran, J.S., M.X. Huang and S.M. Bhagat, Low-field microwave magnetoabsorption in granular HTSC materials **234**, 173
Rastogi, A., V.V. Srinivasu, M.S. Hegde and S.V. Bhat, Surface barrier effects in non-resonant microwave absorption by thin superconducting films of $YBa_2Cu_3O_{7-\delta}$ **234**, 229
Renker, B., see H.A. Ludwig **234**, 45
Rial, C., U. Amador, E. Morán, M.A. Alario-Franco and N.H. Andersen, Evidence of interstitial oxygen in room temperature oxidized $La_{2-x}Sr_xCuO_{4+y}$ $(0<x<0.1)$ **234**, 237
Riise, A.B., T.H. Johansen and H. Bratsberg, The vertical magnetic force and stiffness between a cylindrical magnet and a high-T_c superconductor **234**, 108
Rovira, C., see A.J. Schultz **234**, 300

Sasaki, Y., see W.L. Zhou **234**, 323
Sasakura, H., S. Minamigawa, K. Yoshiara and K.-I. Yoshida, Extended family of Sr free Bi-2201 copper oxides $Bi_{2+x}Ln_yCa_{2-x-y}CuO_z$ (Ln = La, Pr, Nd, Sm, Eu and Gd) **234**, 307
Sato, H., see H. Zhang **234**, 185
Schultz, A.J., H.H. Wang, J.M. Williams, L.W. Finger, R.M. Hazen, C. Rovira and M.-H. Whangbo, X-ray diffraction and electronic band structure study of the organic superconductor κ-$(ET)_2Cu[N(CN)_2]Cl$ at pressures up to 28 kbar **234**, 300
Schwer, H., see J. Karpinski **234**, 10
Seeber, B., N. Cheggour, J.A.A.J. Perenboom and R. Grill, Critical current distribution of hot isostatically pressed $PbMo_6S_8$ wires **234**, 343
Seiji, N., see N. Watanabe **234**, 361
Selvam, P., see A. Gupta **234**, 219
Sengupta, S., see Y.L. Chen **234**, 232
Sharon, M., see M. Murugesan **234**, 339
Shi, D., see Y.L. Chen **234**, 232
Shi, L., see W.J. Yu **234**, 151
Shiohara, Y., see N. Kubota **234**, 63
Shumovsky, A.S., see T. Hakioğlu **234**, 167
Simopoulos, A., see M. Pissas **234**, 127
Song, I.H., see C.H. Park **234**, 85
Song, S.A., see C.H. Park **234**, 85
Srinivasu, V.V., see A. Rastogi **234**, 229
Steglich, F., see B.F. Woodfield **234**, 380
Su, Y.J., see Y.S. Yao **234**, 39
Syono, Y., see H. Nameki **234**, 255

Takayama-Muromachi, E., see M. Isobe **234**, 120
Tanaka, I., see M.K.R. Khan **234**, 115
Tanaka, S., see N. Kubota **234**, 63
Tanaka, S. and Y. Motoi, Carrier doping model for $La_{2-x}Sr_xNiO_4$ **234**, 355
Tanatar, B., see T. Hakioğlu **234**, 167
Tian, M.L., see W.J. Yu **234**, 151
Tiwari, M.D., see B.K. Agrawal **234**, 29
Todt, V.R., see Y.L. Chen **234**, 232
Triscone, G., see E. Janod **234**, 269
Tsameret, A., see R. Prozorov **234**, 311

Wagner, P., see L. Miu **234**, 249
Wang, H.H., see A.J. Schultz **234**, 300
Wang, K.-Q., see E. Janod **234**, 269
Watanabe, N., N. Koshizuka, N. Seiji and H. Yamauchi, Effects of Ni substitution on the superconducting and Raman spectra in $YBa_2Cu_4O_8$ **234**, 361
Welch, D.O., see Z.-X. Cai **234**, 373
Whangbo, M.-H., see A.J. Schultz **234**, 300
Williams, J.M., see A.J. Schultz **234**, 300
Willis, T.C., see A. Gupta **234**, 219
Wolf, T., see B.F. Woodfield **234**, 380
Wölkhausen, T., Electronic heat conduction for d-wave superconductors **234**, 57
Woodfield, B.F., R.A. Fisher, N.E. Phillips, R. Caspary, P. Hellmann, F. Steglich and T. Wolf, Equality of the entropies of the low-temperature zero-field upturn and the

in-field Schottky anomalies in the specific heat of $YBa_2Cu_3O_7$ **234**, 380

Xu, C.Y., see W.J. Yu **234**, 151

Yadava, Y.P., see J. Koshy **234**, 211
Yamauchi, H., see N. Watanabe **234**, 361
Yamazaki, H., see H. Maeda **234**, 385
Yang, L., see W.J. Yu **234**, 151
Yang, Z.J., Surface effect of a superconductor on a magnetic dipole **234**, 263
Yao, Y.S., J.W. Li, W.J. Ma, Y.J. Su, B. Ying, W.J. Zhu, S.L. Jia, Y. Yiang, T.C. Zhang, G.T. Zhou, G.H. Cao and Z.X. Zhao, Possible origin of the resistivity anomaly near 235 K in Hg based compounds prepared under high pressure **234**, 39
Yeshurun, Y., see R. Prozorov **234**, 311
Yiang, Y., see Y.S. Yao **234**, 39
Ying, B., see Y.S. Yao **234**, 39
Yip, K.W., see X. Zhang **234**, 99
Yoo, K.H., see N.H. Hur **234**, 19
Yoshiara, K., see H. Sasakura **234**, 307
Yoshida, K.-I., see H. Sasakura **234**, 307
Yu, W.J., Zh.Q. Mao, C.Y. Xu, L. Yang, M.L. Tian, L. Shi, G.E. Zhou and Y.H. Zhang, Effects of Ba doping on T_c and vibration features of (Pb,Cd)-1212 cuprates **234**, 151
Yxklinten, U., J. Giraldo and K. Holmlund, Calculated bonding, structural, and vibrational properties of $YBa_2Cu_{3-x}Co_xO_7$ **234**, 291

Zettl, A., see Y.X. Jia **234**, 24
Zhang, H., H. Sato and G.L. Liedl, Possible effect of oxygen content on the under-doped characteristics of the $La_{2-x}Sr_xCuO_{4+\delta}$ compound **234**, 185
Zhang, T.C., see Y.S. Yao **234**, 39
Zhang, W. and E.E. Hellstrom, The influence of carbon on melt processing Ag sheathed $Bi_2Sr_2CaCu_2O_8$ tape **234**, 137
Zhang, X., K.W. Yip and C.K. Ong, Structural changes in $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ by Zn doping **234**, 99
Zhang, Y.H., see W.J. Yu **234**, 151
Zhao, Z.X., see Y.S. Yao **234**, 39
Zhou, G.E., see W.J. Yu **234**, 151
Zhou, G.T., see Y.S. Yao **234**, 39
Zhou, W.L., Y. Sasaki and Y. Ikuhara, Microstructure characterization of $Bi_2Sr_2CaCu_2O_x$ single crystal irradiated with 18 MeV Fe^{8+} ions **234**, 323
Zhu, W.J., see Y.S. Yao **234**, 39

ELSEVIER

Physica C 234 (1994) 397–398

PHYSICA C

Analytic Subject Index to Volume 234

AC susceptibility 49
$AlSr2Ca_{n-1}Cu_nO_{2n+3}$ 120
Anisotropic superconductor 249
Antiferromagnetic order 380
Applications of high-T_c superconductors 108, 137, 343

Band structure 300
BiSrCaCuO 63
Borocarbides 167

Carrier concentration 29, 185, 237, 355
Chemical etching process 85
Chevrel phase 219, 343
Columnar defects 311
Coulomb interactions 355
Critical current density 19, 108, 137, 211, 219, 311, 323, 339, 343, 368
Critical state model 49, 108, 207
Cu–O chains 99, 291
Cu–O planes 99, 355

Defect structure 323
D-wave superconductor 57, 280

Electrical resistivity 1, 39, 77, 91, 115, 120, 249, 307, 361, 368
Electronic structure 29, 115, 167
Electron–phonon coupling 57
Energy gap 57, 280
EXAFS 68, 385

Fermi surface 29
Fluctuation effects 77, 269
Flux dynamics 249
Flux pinning 219, 311, 323
Fullerenes 45, 385

Grain alignment 207, 232
Granular superconductivity 49, 219, 368

Hall effect 1
High-pressure effect 29, 45, 167, 300
High-pressure synthesis 10, 120, 361
Hot isostatic pressing 343
HREM 10, 120

Irradiation effect 68, 311, 323
Irreversibility line 249
Isotope effect 167

Josephson effect 85, 146, 155, 173

Kosterlitz–Thouless model 77

Lattice dynamics 291
Lattice parameters 45
Layered superconductors 155, 285
London model 263

Magnetic moments 380
Magnetic susceptibility 39, 120
Magnetization 19, 207, 311, 333
Magnetoresistance 1
Meissner effect 263
Metal-insulator transition 355
Microstructure 232
Microwave absorption 173, 211, 229
Modulated structures 63, 255
Mössbauer spectroscopy 127

Neutron diffraction 237
NMR 285
Normal-state properties 115

Organic superconductor 300
O–T transition 291, 373
Oxygen stoichiometry 91, 115, 185, 237

Pancake vortices 155
Phase diagram 185
Phonon spectrum 167

Raman scattering 151, 361

Scanning tunneling microscopy 280
Shapiro step 85
Simulation 99
Specific heat 269
Specific heat at low-T 380
Specific heat in magnetic fields 380
Spin-lattice relaxation rate 285
SQUID 85, 146
Step-edge junction 85
Structure
–of $Bi_2Sr_2CuO_y$ 255
–of $Hg_{1-x}Pb_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 10
–of $Hg_{1-x}Tl_xBa_2(Ca_{0.86}Sr_{0.14})_2Cu_3O_{8+\delta}$ 19
–of κ-$(ET)_2Cu[N(CN)_2]Cl$ 300
–of $Nd_{1.85}Ce_{0.15}CuO_4$ 68
–of Rb_2CsC_{60} 385
–of $YSr_2Cu_{3-x}Fe_xO_y$ 127
Substitution effects 24, 91, 99, 151, 185, 255, 291, 339, 355
–in $Bi_{2+x}Ln_yCa_{2-x-y}CuO_z$ 307
–in $YBa_2Cu_4O_8$ 361
Substrates 211
Surface barrier 207, 229, 263
Synthesis 39
–of $Bi_2Sr_2CaCu_2O_{8+x}$
–of $Bi_2Sr_2CaCu_2O_8$ tape 137
–of $DyBa_2SnO_{5.5}$ 211
–of $Hg_{1-x}Tl_xBa_2(Ca_{0.86}Sr_{0.14})_2Cu_3O_{8+\delta}$ 19
–of $(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_y$ 151
–of $Tl_{2-x}Hg_xBa_2Ca_2Cu_3O_{10-\delta}$ 24
–of $YBa_2Cu_3O_{6+x}$ 232
–of $YBa_2Cu_3O_{6.92}$ 269

Thermal conductivity 57
Thermoelectric effects 1
Thin films 63, 77, 311, 339
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 249
–of $YBa_2Cu_3O_{7-\delta}$ 229
Time-dependent phenomena 91
Total-energy calculations 291
Tunneling 280
Twin boundaries 373
Type II superconductors 333

Upper critical field 219

Weak links 173, 333

X-ray diffraction 24, 45, 127, 307

$Y_3Al_5O_{12}$ substrate 63
YBCO 380

ELSEVIER

Physica C 234 (1994) 399

PHYSICA C

Materials Index to Volume 234

$Bi_{2+x}Ln_yCa_{2-x-y}CuO_z$
–substitution effects 307
$Bi_2Sr_2CaCu_2O_8$
–synthesis 137
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–thin films 249
$Bi_2Sr_2CaCu_2O_{8+x}$
–synthesis
$Bi_2Sr_2CuO_y$
–structure 255

$DyBa_2SnO_{5.5}$
–synthesis 211

$Hg_{1-x}Pb_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–structure 10

$Hg_{1-x}Tl_xBa_2(Ca_{0.86}Sr_{0.14})_2Cu_3O_{8+\delta}$
–structure 19
–synthesis 19

κ-$(ET)_2Cu[N(CN)_2]Cl$
–structure 300

$Nd_{1.85}Ce_{0.15}CuO_4$
–structure 68

$(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_y$
–synthesis 151

Rb_2CsC_{60}
–structure 385

$Tl_{2-x}Hg_xBa_2Ca_2Cu_3O_{10-\delta}$
–synthesis 24

$YBa_2Cu_3O_{6+x}$
–synthesis 232
$YBa_2Cu_3O_{6.92}$
–synthesis 269
$YBa_2Cu_3O_{7-\delta}$
–thin films 229
$YBa_2Cu_4O_8$
–substitution effects 361
$YSr_2Cu_{3-x}Fe_xO_y$
–structure 127